

Vrijeme od	Vrijeme do	Oznaka mjesta uzorkovanja	Mjesto uzorkovanja
01.08.2023 06:00	02.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
02.08.2023 06:00	03.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
03.08.2023 06:00	04.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
04.08.2023 06:00	05.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
05.08.2023 06:00	06.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
06.08.2023 06:00	07.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
07.08.2023 06:00	08.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
08.08.2023 06:00	09.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
09.08.2023 06:00	10.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
10.08.2023 06:00	11.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
11.08.2023 06:00	12.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
12.08.2023 06:00	13.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
13.08.2023 06:00	14.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
14.08.2023 06:00	15.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
15.08.2023 06:00	16.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
16.08.2023 06:00	17.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
17.08.2023 06:00	18.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
18.08.2023 06:00	19.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
19.08.2023 06:00	20.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
20.08.2023 06:00	21.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
21.08.2023 06:00	22.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
22.08.2023 06:00	23.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
23.08.2023 06:00	24.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
24.08.2023 06:00	25.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
25.08.2023 06:00	26.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
26.08.2023 06:00	27.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)
27.08.2023 06:00	28.08.2023 06:00	001-1	MRS/PČ Ivanja Reka - MRS Ivanić Grad (stream 1)

Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)
Kromatografski uzorak	01.09.2023 10:28	0,236	0	96,601	2,923	0,135
Kromatografski uzorak	01.09.2023 10:28	0,335	0	96,454	2,996	0,099
Kromatografski uzorak	01.09.2023 10:28	0,353	0,002	96,405	3,020	0,102
Kromatografski uzorak	01.09.2023 10:28	0,341	0	96,440	3,005	0,101
Kromatografski uzorak	01.09.2023 10:28	0,442	0,005	96,250	3,066	0,125
Kromatografski uzorak	01.09.2023 10:28	0,768	0,012	95,737	3,213	0,164
Kromatografski uzorak	01.09.2023 10:28	0,342	0	96,398	3,033	0,115
Kromatografski uzorak	01.09.2023 10:28	0,393	0,003	96,302	3,068	0,123
Kromatografski uzorak	01.09.2023 10:28	0,379	0	96,321	3,071	0,116
Kromatografski uzorak	01.09.2023 10:28	0,598	0,012	95,952	3,179	0,149
Kromatografski uzorak	01.09.2023 10:28	0,484	0,039	95,853	3,336	0,170
Kromatografski uzorak	01.09.2023 10:28	0,409	0,024	95,994	3,312	0,145
Kromatografski uzorak	01.09.2023 10:28	0,288	0,030	96,127	3,285	0,147
Kromatografski uzorak	01.09.2023 10:28	0,188	0,001	96,633	2,937	0,153
Kromatografski uzorak	01.09.2023 10:28	0,318	0	96,512	2,863	0,213
Kromatografski uzorak	01.09.2023 10:28	2,323	0,330	92,010	4,664	0,535
Kromatografski uzorak	01.09.2023 10:28	0,191	0,146	96,012	3,267	0,284
Kromatografski uzorak	01.09.2023 10:28	0,033	0	96,980	2,745	0,173
Kromatografski uzorak	01.09.2023 10:28	0,031	0	96,972	2,754	0,174
Kromatografski uzorak	01.09.2023 10:28	0,029	0	96,969	2,759	0,175
Kromatografski uzorak	01.09.2023 10:28	0,025	0	96,969	2,760	0,176
Kromatografski uzorak	01.09.2023 10:28	0,024	0	96,962	2,769	0,177
Kromatografski uzorak	01.09.2023 10:28	0,021	0	96,955	2,776	0,178
Kromatografski uzorak	01.09.2023 10:28	0,018	0	96,927	2,806	0,180
Kromatografski uzorak	01.09.2023 10:28	0,015	0	96,904	2,829	0,182
Kromatografski uzorak	01.09.2023 10:28	0,166	0	92,760	4,709	1,504
Kromatografski uzorak	01.09.2023 10:28	0,252	0	90,878	5,551	2,103

C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)
0,240	0,080	0,018	0,002	0,004	0	0,002	-	0
0,216	0,104	0,010	0	0,002	0	0	-	0
0,219	0,104	0,010	0	0,002	0	0	-	0
0,215	0,101	0,010	0	0,002	0	0	-	0
0,235	0,093	0,013	0,001	0,003	0	0	-	0
0,269	0,086	0,015	0,001	0,003	0	0	-	0
0,227	0,095	0,013	0,001	0,003	0	0	-	0
0,234	0,094	0,013	0,001	0,003	0	0	-	0
0,228	0,097	0,012	0,001	0,002	0	0	-	0
0,260	0,093	0,014	0,001	0,003	0	0	-	0
0,288	0,095	0,017	0,002	0,004	0	0,001	-	0
0,261	0,096	0,014	0,001	0,003	0	0,001	-	0
0,270	0,101	0,016	0,001	0,004	0	0,001	-	0
0,241	0,056	0,021	0,002	0,005	0	0,003	-	0
0,307	0,034	0,033	0,006	0,011	0	0,008	-	0,002
0,672	0,056	0,048	0,010	0,014	0	0,006	-	0,003
0,383	0,037	0,039	0,006	0,011	0	0,006	-	0,001
0,242	0,025	0,028	0,004	0,007	0	0,005	-	0
0,243	0,025	0,028	0,004	0,007	0	0,005	-	0
0,244	0,025	0,028	0,004	0,008	0	0,005	-	0
0,245	0,024	0,029	0,004	0,008	0	0,005	-	0
0,246	0,024	0,029	0,004	0,008	0	0,005	-	0
0,247	0,023	0,029	0,004	0,008	0	0,005	-	0
0,250	0,023	0,029	0,004	0,008	0	0,005	-	0
0,252	0,024	0,029	0,004	0,008	0	0,005	-	0
2,365	0,369	0,463	0,004	0,023	0	0,002	-	0
3,318	0,522	0,659	0,005	0,029	0	0	-	0

C8 (mol %)	C9+ (mol %)	NCV (kWh/m3) @15/15	NCV (MJ/m3) @15/15	NCV (kWh/m3) @25/0	NCV (MJ/m3) @25/0	GCV (kWh/m3) @15/15	GCV (MJ/m3) @15/15
0	0	9,686775	34,872	10,221846	36,799	10,748863	38,696
0	0	9,679494	34,846	10,214162	36,771	10,740689	38,666
0	0	9,680013	34,848	10,214713	36,773	10,741171	38,668
0	0	9,679349	34,846	10,214010	36,770	10,740513	38,666
0	0	9,676709	34,836	10,211230	36,760	10,737288	38,654
0	0	9,660661	34,778	10,194306	36,699	10,718856	38,588
0	0	9,683039	34,859	10,217907	36,784	10,744462	38,680
0	0	9,681441	34,853	10,216224	36,778	10,742548	38,673
0	0	9,682520	34,857	10,217362	36,783	10,743768	38,678
0	0	9,673298	34,824	10,207641	36,748	10,733031	38,639
0	0	9,698142	34,913	10,233878	36,842	10,759974	38,736
0	0	9,700471	34,922	10,236329	36,851	10,762802	38,746
0	0	9,711260	34,961	10,247717	36,892	10,774789	38,789
0	0	9,691573	34,890	10,226909	36,817	10,754181	38,715
0	0	9,685531	34,868	10,220540	36,794	10,747232	38,690
0	0	9,655287	34,759	10,188752	36,680	10,706157	38,542
0	0	9,724923	35,010	10,262143	36,944	10,789371	38,842
0	0	9,691393	34,889	10,226707	36,816	10,754569	38,716
0	0	9,692411	34,893	10,227782	36,820	10,755666	38,720
0	0	9,693108	34,895	10,228518	36,823	10,756422	38,723
0	0	9,693730	34,897	10,229175	36,825	10,757101	38,726
0	0	9,694627	34,901	10,230122	36,828	10,758068	38,729
0	0	9,695506	34,904	10,231050	36,832	10,759017	38,732
0	0	9,698582	34,915	10,234299	36,843	10,762327	38,744
0	0	9,700914	34,923	10,236762	36,852	10,764835	38,753
0	0	10,194339	36,700	10,757998	38,729	11,293157	40,655
0	0	10,414589	37,493	10,990827	39,567	11,528914	41,504

GCV (kWh/m3) @25/0	GCV (MJ/m3) @25/0	Wd(kWh/m3) @15/15	Wd(Mj/m3) @15/15	Wd(kWh/m3) @25/0	Wd(Mj/m3) @25/0	Wg(kWh/m3) @15/15	Wg(Mj/m3) @15/15
11,332276	40,796	46,072	48,610	12,798	13,503	14,201	51,123
11,323659	40,765	46,015	48,551	12,782	13,486	14,183	51,060
11,324170	40,767	46,007	48,542	12,780	13,484	14,181	51,051
11,323474	40,765	46,013	48,548	12,781	13,486	14,182	51,057
11,320082	40,752	45,962	48,494	12,767	13,471	14,166	50,999
11,300665	40,682	45,792	48,311	12,720	13,420	14,113	50,808
11,327642	40,780	46,020	48,555	12,783	13,488	14,185	51,064
11,325628	40,772	45,994	48,527	12,776	13,480	14,176	51,035
11,326914	40,777	46,003	48,538	12,779	13,483	14,179	51,046
11,315608	40,736	45,886	48,414	12,746	13,448	14,142	50,913
11,344041	40,839	45,968	48,501	12,769	13,472	14,167	51,001
11,347013	40,849	46,014	48,549	12,782	13,486	14,181	51,053
11,359655	40,895	46,082	48,621	12,801	13,506	14,203	51,129
11,337882	40,816	46,102	48,642	12,806	13,512	14,210	51,156
11,330564	40,790	46,036	48,571	12,788	13,492	14,189	51,082
11,287451	40,635	44,958	47,435	12,488	13,176	13,848	49,851
11,375040	40,950	46,084	48,616	12,801	13,504	14,202	51,128
11,338273	40,818	46,166	48,710	12,824	13,531	14,231	51,231
11,339430	40,822	46,169	48,713	12,825	13,531	14,232	51,234
11,340228	40,825	46,172	48,716	12,825	13,532	14,232	51,237
11,340945	40,827	46,174	48,719	12,826	13,533	14,233	51,240
11,341965	40,831	46,177	48,721	12,827	13,534	14,234	51,242
11,342967	40,835	46,180	48,724	12,828	13,534	14,235	51,245
11,346461	40,847	46,188	48,733	12,830	13,537	14,237	51,254
11,349107	40,857	46,194	48,739	12,832	13,539	14,239	51,260
11,906874	42,865	47,146	49,748	13,096	13,819	14,508	52,229
12,155949	43,761	47,562	50,185	13,212	13,940	14,625	52,651

Wg(kWh/m3) @25/0	Wg(Mj/m3) @25/0	ρ (kg/m3) @15	ρ (kg/m3) @0	d@15	d@0	M kg/kmol	R J/kgK	MN (metanski broj)
14,970	53,891	0,702	0,7409	0,5729	0,5731	16,565	501,943	88,826
14,951	53,824	0,703	0,7416	0,5735	0,5736	16,580	501,464	88,851
14,949	53,815	0,703	0,7420	0,5737	0,5739	16,588	501,241	88,769
14,950	53,821	0,703	0,7417	0,5735	0,5737	16,582	501,422	88,837
14,933	53,760	0,704	0,7430	0,5745	0,5746	16,610	500,587	88,551
14,876	53,554	0,707	0,7461	0,5769	0,5771	16,680	498,534	87,998
14,952	53,829	0,703	0,7420	0,5738	0,5739	16,589	501,198	88,687
14,944	53,797	0,704	0,7427	0,5743	0,5744	16,603	500,803	88,562
14,947	53,809	0,704	0,7425	0,5741	0,5743	16,599	500,896	88,593
14,908	53,669	0,706	0,7449	0,5760	0,5761	16,653	499,291	88,137
14,934	53,762	0,707	0,7460	0,5769	0,5770	16,678	498,523	87,608
14,949	53,817	0,706	0,7449	0,5760	0,5761	16,653	499,280	87,835
14,971	53,897	0,705	0,7444	0,5756	0,5757	16,641	499,660	87,837
14,979	53,926	0,702	0,7407	0,5727	0,5729	16,560	502,100	88,766
14,957	53,846	0,703	0,7419	0,5737	0,5739	16,587	501,297	88,379
14,597	52,550	0,733	0,7731	0,5978	0,5979	17,282	481,400	82,972
14,969	53,888	0,707	0,7466	0,5773	0,5775	16,691	498,483	87,241
15,001	54,005	0,700	0,7386	0,5711	0,5713	16,513	503,529	89,164
15,002	54,008	0,700	0,7387	0,5712	0,5713	16,514	503,482	89,135
15,003	54,010	0,700	0,7387	0,5712	0,5713	16,515	503,463	89,118
15,004	54,014	0,700	0,7387	0,5712	0,5713	16,515	503,459	89,105
15,005	54,016	0,700	0,7388	0,5712	0,5714	16,516	503,421	89,079
15,005	54,020	0,700	0,7388	0,5713	0,5714	16,517	503,389	89,055
15,008	54,028	0,700	0,7390	0,5714	0,5716	16,522	503,247	88,964
15,010	54,035	0,700	0,7392	0,5716	0,5717	16,525	503,133	88,892
15,295	55,061	0,742	0,7836	0,6059	0,6061	17,512	475,344	76,274
15,418	55,505	0,761	0,8037	0,6214	0,6216	17,958	462,997	72,106