



Izvešće o kvaliteti plina za 2022. godinu

Mjesec	Razdoblje	Skupni izlaz hidraulička cjelina Ivanić-Grad	
		Mjesečna srednja donja ogrjevna vrijednost do 01.10.2022., a od 01.10.2022. srednja gornja ogrjevna vrijednost	
		MJ/m ³	kWh/m ³
Siječanj	01.01.-31.01.2022.	35,517	9,865935
Veljača	01.02.-28.02.2022.	35,548	9,874411
Ožujak	01.03.-31.03.2022.	35,015	9,726384
Travanj	01.04.-30.04.2022.	35,192	9,775605
Svibanj	01.05.-31.05.2022.	35,196	9,776597
Lipanj	01.06.-30.06.2022.	35,160	9,766705
Srpanj	01.07.-31.07.2022.	35,232	9,786710
Kolovoz	01.08.-31.08.2022.	35,241	9,789240
Rujan	01.09.-30.09.2022.	35,445	9,845754
Listopad	01.10.-31.10.2022.	41,133	11,425931
Studeni	01.11.-30.11.2022.	40,813	11,337008
Prosinac	01.12.-31.12.2022.	40,663	11,295232

Mjesečna srednja donja ogrjevna vrijednost do
01.10.2022., a od 01.10.2022. srednja gornja ogrjevna
vrijednost MJ/m³



Mjesečna srednja donja ogrjevna vrijednost do
01.10.2022., a od 01.10.2022. srednja gornja ogrjevna
vrijednost kWh/m³



OŽUJAK

Vrijeme od	Vrijeme do	Oznaka izvornika	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2 (mol %)	CO2 (mol %)	C1 (mol %)	C2 (mol %)	C3 (mol %)	C3+ (mol %)	n-C4 (mol %)	i-C4 (mol %)	n-C5 (mol %)	i-C5 (mol %)	neo-C5 (mol %)	C6 (mol %)	C6+ (mol %)	C7 (mol %)	C8 (mol %)	C9+ (mol %)	NCV (kg/MJ) @25/0	NCV (kg/MJ) @15/15	NCV (kg/MJ) @25/0	NCV (kg/MJ) @15/15	GCV (kg/MJ) @25/0	GCV (kg/MJ) @15/15	GCV (kg/MJ) @25/0	GCV (kg/MJ) @15/15	Wt(MJ/m3) @25/0	Wt(MJ/m3) @15/15	Wt(MJ/m3) @25/0	Wt(MJ/m3) @15/15	Wt(MJ/m3) @25/0	Wt(MJ/m3) @15/15	Wt(MJ/m3) @25/0	Wt(MJ/m3) @15/15	P (kg/m3) @25/0	P (kg/m3) @15/15	d@15	d@0	M (kg/mol)	R1/kgf	MN (metansk t/br)	
1.3.2022.6.00	2.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.431	0.202	34.773	3.591	0.77	1.001	0.101	0.098	0.012	0.015	0	0.007	0.003	0	0	0	0	9.82227	35.361	30.365	37.311	30.89289	39.214	11.4844	41.344	32.819	46.147	13.525	48.658	14.216	15.176	14.885	53.947	0.72	0.7584	0.5872	0.5873	16.979	488.824	85.786
3.3.2022.6.00	4.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.441	0.212	34.848	3.518	0.764	0.977	0.1	0.099	0.012	0.014	0	0.007	0.004	0	0	0	9.82227	35.344	30.344	37.274	30.8818	39.174	11.4799	41.302	12.81	48.715	13.514	48.673	14.206	15.143	15.011	0.719	0.7507	0.5867	0.5868	16.981	490.161	85.616		
3.3.2022.6.00	4.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.487	0.065	36.661	3.471	0.549	0.663	0.062	0.067	0.007	0.01	0	0.005	0.001	0	0	0	9.78995	35.344	30.308	37.191	30.8943	39.064	11.446	41.21	12.854	46.373	13.562	48.822	14.248	15.205	15.107	0.711	0.7503	0.5801	0.5803	16.771	495.775	85.638		
4.3.2022.6.00	5.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.105	0	36.807	3.378	0.549	0.663	0.064	0.05	0.006	0.009	0	0.005	0	0	0	0	9.80019	35.281	30.316	37.21	30.8707	39.135	11.4620	41.24	12.879	46.363	13.588	48.918	14.288	15.029	15.03	0.711	0.7489	0.5791	0.5792	16.741	496.63	85.623		
5.3.2022.6.00	6.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.117	0	36.896	3.388	0.568	0.629	0.064	0.048	0.006	0.01	0	0.005	0	0	0	0	9.79293	35.253	30.3494	37.203	30.86134	39.107	11.4528	41.23	12.873	46.343	13.592	48.897	14.28	15.041	15.033	0.709	0.7468	0.5781	0.5789	16.731	496.267	85.76		
6.3.2022.6.00	7.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.104	0	36.261	3.353	0.388	0.489	0.061	0.041	0.005	0.01	0	0.005	0	0	0	0	9.794207	35.115	30.29386	37.051	30.82162	38.968	11.40968	41.074	12.862	46.268	13.56	48.817	14.259	15.231	15.031	0.711	0.756	0.5748	0.575	16.654	499.203	86.341		
7.3.2022.6.00	8.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.107	0	36.041	3.297	0.443	0.555	0.047	0.044	0.006	0.01	0	0.005	0	0	0	0	9.714779	35.188	30.3148	37.133	30.84366	39.037	11.42323	41.156	12.864	46.309	13.573	48.861	14.27	15.373	15.033	0.715	0.7468	0.5774	0.5776	16.694	498.609	86.325		
8.3.2022.6.00	9.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.111	0.004	36.088	3.245	0.442	0.552	0.046	0.044	0.006	0.01	0	0.005	0	0	0	0	9.769621	35.171	30.2935	37.114	30.8381	39.017	11.43464	41.135	12.86	46.294	13.568	48.845	14.266	15.358	15.038	0.714	0.7464	0.5772	0.5773	16.687	498.272	86.438		
9.3.2022.6.00	10.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.118	0	36.829	3.408	0.51	0.644	0.057	0.048	0.006	0.011	0	0.005	0	0	0	0	9.796209	35.163	30.3277	37.214	30.8664	39.119	11.5658	41.243	12.867	46.349	13.584	48.903	14.261	15.413	15.055	0.719	0.7467	0.5789	0.5791	16.731	496.3	85.666		
10.3.2022.6.00	11.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.064	0.001	36.564	2.816	0.193	0.262	0.021	0.029	0.005	0.009	0	0.004	0	0	0	0	9.69687	34.909	30.2249	36.871	30.76232	38.737	11.5434	40.84	12.823	46.164	13.53	48.708	14.23	15.227	15	0.701	0.7395	0.5718	0.572	16.533	502.71	88.837		
11.3.2022.6.00	12.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.061	0	36.849	2.824	0.194	0.263	0.021	0.029	0.005	0.009	0	0.004	0	0	0	0	9.698128	34.913	30.2382	36.843	30.76368	38.742	11.54578	40.843	12.825	46.168	13.531	48.712	14.231	15.233	15.031	0.705	0.7396	0.5719	0.572	16.534	502.874	88.804		
12.3.2022.6.00	13.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.116	0	36.24	3.082	0.38	0.479	0.039	0.038	0.005	0.01	0	0.005	0	0	0	0	9.749273	35.085	30.2848	37.021	30.81248	38.925	11.3994	41.088	12.846	46.244	13.554	48.739	14.252	15.074	15.048	0.705	0.7444	0.5756	0.5757	16.641	499.754	87.842		
13.3.2022.6.00	14.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.115	0.002	36.467	3.108	0.473	0.489	0.049	0.044	0.006	0.01	0	0.005	0	0	0	0	9.70247	35.113	30.3165	37.051	30.80979	39.064	11.43985	41.182	12.866	46.329	13.571	48.871	14.271	15.381	15.046	0.708	0.7475	0.578	0.5781	16.709	497.60	86.198		
14.3.2022.6.00	15.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.048	0	36.774	2.904	0.202	0.274	0.022	0.013	0.005	0.009	0	0.004	0	0	0	0	9.706821	34.945	30.2482	36.871	30.77105	38.715	11.35568	40.88	12.823	46.181	13.538	48.737	14.238	15.256	15.039	0.701	0.7401	0.5723	0.5724	16.547	502.49	88.557		
15.3.2022.6.00	16.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.061	0	36.83	2.838	0.195	0.265	0.021	0.029	0.005	0.009	0	0.004	0	0	0	0	9.699227	34.917	30.2349	36.843	30.76389	38.746	11.54703	40.849	12.825	46.171	13.537	48.714	14.232	15.234	15.002	0.703	0.7397	0.5719	0.5721	16.538	502.811	88.769		
16.3.2022.6.00	17.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.055	0	36.781	2.893	0.198	0.269	0.023	0.029	0.005	0.009	0	0.004	0	0	0	0	9.70489	34.937	30.2675	36.861	30.76973	38.767	11.5323	40.872	12.849	46.185	13.538	48.728	14.238	15.248	15.008	0.703	0.74	0.5723	0.5724	16.541	502.549	88.695		
17.3.2022.6.00	18.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.067	0	36.828	2.841	0.195	0.264	0.021	0.029	0.005	0.009	0	0.004	0	0	0	0	9.69879	34.919	30.2482	36.843	30.76237	38.745	11.54651	40.883	12.849	46.187	13.531	48.711	14.231	15.233	15.033	0.703	0.7397	0.572	0.5721	16.537	502.784	88.768		
18.3.2022.6.00	19.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.052	0	36.748	2.907	0.201	0.272	0.021	0.013	0.005	0.009	0	0.004	0	0	0	0	9.70769	34.949	30.24421	36.871	30.77225	38.745	11.54969	40.849	12.823	46.181	13.538	48.738	14.238	15.252	15.009	0.703	0.7401	0.5724	0.5724	16.535	502.848	88.505		
19.3.2022.6.00	20.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.127	0	37.407	2.311	0.122	0.155	0.011	0.014	0.002	0.004	0	0.002	0	0	0	0	9.833972	34.682	30.1665	36.599	30.69288	38.494	11.2729	40.528	12.779	46.005	13.484	14.541	14.184	15.062	14.942	0.696	0.732	0.5683	0.5685	16.433	506.03	90.998		
20.3.2022.6.00	21.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.13	0	37.062	2.244	0.103	0.123	0.007	0.009	0.001	0.002	0	0.001	0	0	0	0	9.82981	34.611	30.1445	36.559	30.6899	38.451	11.2652	40.538	12.771	46.081	13.477	14.514	14.944	15.1	0.696	0.7441	0.5678	0.5678	16.431	506.566	91.493			
21.3.2022.6.00	22.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.127	0	37.49	2.259	0.103	0.124	0.007	0.009	0.001	0.002	0	0.001	0	0	0	0	9.824377	34.648	30.15992	36.581	30.6824	38.467	11.2623	40.544	12.774	46.086	13.478	14.512	14.942	15.064	15.064	0.696	0.7341	0.5677	0.5678	16.411	506.566	91.493		
22.3.2022.6.00	23.3.2022.6.00	001-1	MRS/PC Nanja Reka - MRS Ivanić Grad (stream 1)	Kromatografski uzorak	1.4.2022.10.57	0.135	0	37.336	2.208	0.101	0.121	0.007	0.009	0.001	0.002	0	0.001	0	0	0	0	9.819388	34.611	30.15062	36.543	30.6777	38.447	11.2564	40.523	12.77	46.072	13.47													

SRPANJ

Vrijeme od	Vrijeme do	Onakna mjesta uzorkovanja	Mjesto uzorkovanja	Vrsta mjesta uzorkovanja	Zadnja izmjena	N2	CO2	C1	C2	C3	C3+	n-C4	i-C4	n-C5	i-C5	neo-C5	C6	C6+	C7	C8	C9+	NCV (MJ/m3) @15/15	NCV (MJ/m3) @20/20	NCV (MJ/m3) @25/25	NCV (MJ/m3) @30/30	GCV (MJ/m3) @15/15	GCV (MJ/m3) @20/20	GCV (MJ/m3) @25/25	GCV (MJ/m3) @30/30	WgHw/m3 @15/15	WgHw/m3 @20/20	WgHw/m3 @25/25	WgHw/m3 @30/30	WgMw/m3 @15/15	WgMw/m3 @20/20	WgMw/m3 @25/25	WgMw/m3 @30/30	p (kg/m3) @15	p (kg/m3) @20	d@15	d@20	M (kg/m3)	R1/R2	MN (metanski t/ton)	
1.7.2022.6.00	2.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.068	0.9494	4.662	0.29	0.357	0.028	0.036	0.001	0.001	0	0	0	0	0	0	0	0.888467	35.454	30.2920	37.413	10.9228	39.322	11.5398	41.457	12.913	46.694	13.627	49.056	14.324	15.566	15.1	14.339	0.713	0.752	0.5815	0.5817	16.811	454.388	84.645	
3.7.2022.6.00	1.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.041	0.9693	5.080	4.52	0.296	0.363	0.03	0.038	0.001	0.001	0	0	0	0	0	0	0.879881	35.414	30.3144	37.373	10.9148	39.311	11.5398	41.424	12.908	46.669	13.616	49.011	14.317	15.564	15.093	14.931	0.712	0.752	0.5808	0.5811	16.793	454.108	84.613	
3.7.2022.6.00	4.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.145	0.115	95.074	4.204	3.859	0.462	0.041	0.051	0.003	0.004	0	0.003	0	0	0	0	0	0.812428	35.325	30.3458	37.276	10.8841	39.18	11.47431	41.308	12.861	46.301	13.57	48.852	14.265	15.537	15.037	14.135	0.713	0.728	0.5801	0.5822	16.826	454.808	84.988
4.7.2022.6.00	5.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.141	0.11	95.091	4.2	3.855	0.477	0.04	0.051	0.003	0.004	0	0.003	0	0	0	0	0	0.811985	35.323	30.3541	37.273	10.8827	39.175	11.47384	41.304	12.862	46.304	13.571	48.854	14.266	15.538	15.039	14.139	0.713	0.735	0.5815	0.5827	16.824	454.198	85.032
5.7.2022.6.00	6.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.088	0.063	95.219	4.244	0.21	0.481	0.035	0.045	0.001	0.002	0	0.001	0	0	0	0	0	0.816888	35.341	30.3398	37.294	10.8876	39.174	11.47494	41.328	12.863	46.379	13.593	48.934	14.289	15.442	14.063	14.228	0.713	0.763	0.5801	0.5868	16.781	455.268	85.242
6.7.2022.6.00	7.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.065	0.017	95.251	4.283	0.037	0.383	0.033	0.043	0.001	0.001	0	0	0	0	0	0	0	0.820711	35.356	30.3369	37.309	10.8932	39.216	11.46474	41.343	12.863	46.414	13.603	48.972	14.3	15.482	15.075	14.269	0.711	0.750	0.5801	0.5864	16.795	455.634	85.273
7.7.2022.6.00	8.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.047	0.074	95.277	4.307	0.299	0.374	0.032	0.041	0	0.001	0	0	0	0	0	0	0	0.823368	35.366	30.3274	37.313	10.8965	39.228	11.46813	41.357	12.869	46.438	13.61	48.997	14.308	15.548	15.083	14.297	0.711	0.750	0.5801	0.5868	16.768	455.821	85.286
8.7.2022.6.00	9.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.041	0	96.22	3.415	0.248	0.324	0.027	0.037	0.001	0.006	0	0.004	0	0	0	0	0	0.75241	35.108	30.2920	37.048	10.8198	38.953	11.40773	41.064	12.688	46.29	13.567	48.841	14.266	15.537	15.038	14.138	0.705	0.749	0.5792	0.5796	16.681	459.951	87.254
9.7.2022.6.00	10.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.098	0	96.341	3.807	0.241	0.318	0.026	0.037	0.001	0.005	0	0.004	0	0	0	0	0	0.748226	35.077	30.2928	37.074	10.8161	38.917	11.39271	41.051	12.684	46.279	13.561	48.823	14.261	15.534	15.033	14.138	0.704	0.745	0.5786	0.5786	16.613	500.427	87.021
10.7.2022.6.00	11.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.066	0.046	96.166	3.959	0.271	0.359	0.033	0.041	0.004	0.007	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.747861	35.092	30.2867	37.081	10.81477	38.933	11.40784	41.04	12.844	46.24	13.552	48.788	14.25	15.301	15.027	14.076	0.704	0.748	0.5761	0.5761	16.462	496.312	87.138
11.7.2022.6.00	12.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.048	0.013	96.213	3.981	0.258	0.338	0.028	0.039	0.003	0.006	0	0.005	0.004	0	0	0	0	0.750188	35.101	30.2888	37.074	10.81744	38.943	11.40465	41.057	12.683	46.272	13.561	48.821	14.26	15.336	15.052	14.116	0.705	0.744	0.5784	0.5782	16.647	499.758	87.224
13.7.2022.6.00	13.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.044	0.008	95.468	4.104	0.298	0.373	0.032	0.042	0.001	0.002	0	0.001	0	0	0	0	0	0.809469	35.114	30.3137	37.265	10.82054	39.213	11.41761	41.298	12.86	46.464	13.4	48.961	14.288	15.473	15.072	14.28	0.71	0.765	0.5791	0.5793	16.63	495.66	86.645
13.7.2022.6.00	14.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.049	0.013	96.671	3.997	0.263	0.361	0.031	0.041	0.003	0.003	0	0.002	0	0	0	0	0	0.795527	35.264	30.3187	37.212	10.86611	39.181	11.42884	41.242	12.864	46.381	13.593	48.937	14.292	15.45	15.062	14.268	0.706	0.745	0.5782	0.5782	16.713	497.488	86.903
14.7.2022.6.00	15.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.031	0	95.932	3.692	0.267	0.343	0.029	0.039	0.001	0.005	0	0.003	0	0	0	0	0	0.768088	35.197	30.1699	37.141	10.84609	39.094	11.42482	41.166	12.874	46.346	13.583	48.9	14.282	15.415	15.055	14.199	0.707	0.749	0.5787	0.5789	16.616	498.647	86.581
15.7.2022.6.00	16.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.027	0	95.913	3.711	0.268	0.346	0.029	0.039	0.001	0.005	0	0.003	0	0	0	0	0	0.768505	35.204	30.1191	37.149	10.84841	39.096	11.42722	41.174	12.876	46.352	13.585	48.908	14.284	15.413	15.057	14.205	0.707	0.748	0.5787	0.5787	16.677	498.568	86.531
16.7.2022.6.00	17.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.029	0.006	95.87	3.74	0.274	0.356	0.03	0.041	0.001	0.005	0	0.001	0	0	0	0	0	0.769101	35.211	30.1232	37.161	10.85147	39.104	11.42664	41.188	12.874	46.374	13.586	48.909	14.284	15.412	15.057	14.207	0.706	0.747	0.5771	0.5771	16.684	498.302	86.413
17.7.2022.6.00	18.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.035	0.017	95.813	3.75	0.296	0.348	0.033	0.044	0.003	0.006	0.004	0.004	0.004	0.004	0.004	0.004	0.004	0.767471	35.211	30.1232	37.178	10.85638	39.083	11.42662	41.205	12.875	46.35	13.584	48.908	14.284	15.412	15.057	14.208	0.708	0.747	0.5777	0.5778	16.701	497.841	86.206
18.7.2022.6.00	19.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.026	0	96.108	3.4	0.347	0.464	0.041	0.056	0.003	0.01	0	0.006	0.002	0	0	0	0	0.779951	35.201	30.13314	37.185	10.85939	39.015	11.43622	41.17	12.875	46.35	13.584	48.904	14.283	15.415	15.056	14.203	0.707	0.749	0.5788	0.5789	16.675	498.619	86.473
19.7.2022.6.00	20.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.037	0.009	96.213	3.393	0.338	0.438	0.04	0.054	0.003	0.012	0	0.003	0	0	0	0	0	0.766683	35.198	30.2604	37.201	10.853	39.026	11.43219	41.123	12.866	46.316	13.578	48.868	14.273	15.383	15.046	14.188	0.708	0.745	0.5761	0.5761	16.643	499.085	86.753
20.7.2022.6.00	21.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.063	0.043	96.077	3.3	0.376	0.511	0.045	0.06	0.007	0.012	0	0.007	0.003	0	0	0	0	0.770844	35.175	30.13005	37.111	10.89342	39.022	11.42787	41.14	12.868	46.35	13.567	48.84	14.264	15.392	15.037	14.132	0.708	0.748	0.5768	0.5774	16.695	498.008	86.459
21.7.2022.6.00	22.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.055	0.025	96.152	3.275	0.362	0.493	0.043	0.059	0.006	0.011	0	0.007	0.003	0	0	0	0	0.768899	35.167	30.2838	37.113	10.89264	39.024	11.42682	41.142	12.866	46.302	13.57	48.853	14.269	15.387	15.041	14.148	0.707	0.746	0.5768	0.5777	16.676	498.536	86.601
22.7.2022.6.00	23.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.031	0	96.253	3.253	0.342	0.463	0.04	0.055	0.003	0.011	0	0.007	0.003	0	0	0	0	0.766134	35.159	30.2928	37.101	10.84846	39.025	11.42493	41.123	12.867	46.323	13.576	48.875	14.275	15.391	15.048	14.173	0.708	0.745	0.5762	0.5762	16.605	499.271	86.791
23.7.2022.6.00	24.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11	0.031	0	96.242	3.262	0.341	0.462	0.041	0.056	0.003	0.011	0	0.007	0.003	0	0	0	0	0.766293	35.163	30.2928	37.106	10.84977	39.011	11.42458	41.129	12.868	46.326	13.577	48.879	14.276	15.391	15.049	14.177	0.708	0.745	0.5761	0.5761	16.607	499.156	86.758
24.7.2022.6.00	25.7.2022.6.00	001-1	MRS/PC Ivanja Reka - MRS Ivanic Grad (stream 3)	kromatografski uzorak	1.8.2022.9.11																																								

